

Theory & Simulations Group

People

Y. Alexahin

V. Balbekov

N. Gelfand

E. Gianfelice-Wendt

V. Kamerzhiev

G. Kuznetsov

L. Vorobiev

V. Kapin

Positions

Sci.II (GL)

Sci.II

Sci.II

Appl. Phys.

Research Ass.

GS

GS

Visitor

Projects

Run II, MC, PP-II, LARP

MC, PP-II, ILC

Run II, MC, PP-II


Run II, MC, PP-II, LARP, ILC

Run II, LARP

Run II, LARP, MC

PP-II, Project X

Run II, PP-II



Run II

- TELs for BBC and abort cleaning

- new SEFT guns designed and installed at TEL1 and TEL2
- p-lifetime improvement demonstrated with both TEL1 and TEL2

- new gun with control grid for bunch-by-bunch operation was designed, built and now is being tested
- TELs are now used for abort cleaning during pbar injection as well
- using ELs in RHIC and LHC is under consideration


- Optimization of Helical Orbits in Tevatron


- TBT Optics Measurement and Correction

- console applications for coupling correction at injection and acceleration are routinely used for Tevatron tune-up
- new method for coupled optics reconstruction from TBT data is being developed

- Tevatron Digital Tune Monitor

- Analysis and Correction of Tevatron Orbit and Tune Drifts





Proton Plan II → Project X

• Space Charge Effects in Booster, RR, MI

- using Mathematica + MAD the SC effects in Booster were analyzed and shown to be particularly harmful in the presence of large optical irregularities
- SC simulations with ORBIT are going on for RR and MI (bugs in program found and corrected)


• TBT Optics Measurement and Correction


- methods developed for Tevatron are applied to Booster and MI
- MI impedance determined from phase advance and orbit dependence of beam intensity (within theoretical expectations)

• Coherent Instabilities in High Intensity Proton Beams

- e-cloud in MI simulations with ORBIT were undertaken, for this purpose ORBIT was augmented with multibunch option (but the e-cloud block itself needs complete overhaul)
- analytical study of transverse instability of rigid and non-rigid modes in space charge dominated beam

Booster tunes vs time (ms)





Muon Collider

• Muon Collider Ring Design

- previously proposed lattice designs analyzed
- conceptually new design proposed (local CC in IRs + neg. dispersion section)


• 6D Ionization Cooling Channel Design


- theory of HCC with distributed RF revisited
- new principle of resonant dispersion generation proposed
- schemes for PIC in achromatic ring and HCC analyzed
- effect of SC in PIC and “super-Ferrow” channels clarified

• MANX: Ionization Cooling Demonstration Experiment

- simulations studies of 5D cooling (no RF) performed
- engineering issues of incorporating HP RF

• High Gradient Dielectric Wall Acceleration Structure for Muons





Theory & Simulations Group

2007 Paper Trail

- 3 journal articles (on BBC and TELs)
- 14 PAC07 reports
- 13 workshop talks (mostly on MC)
- 13 internal reports

2008 Deliverables

- Installation and commissioning of electron gun with control grid
- Development and commissioning of TELs multibunch operation scheme for BBC
- Expanding DTM for both planes for protons and antiprotons
- Application for coupled optics reconstruction from TBT data and correction
- Experimental study of 12th order resonance intrinsic cancellation in Tevatron
- Analytical study of transverse instability of non-rigid modes in space charge dominated beam in RR at PP-II parameters
- MC ring lattice update for HE (baseline) parameters
- Segmented HCC design with alternating block solenoids
- Muon acceleration scheme based on DWA structure